



PO4920010111451





3/19

P04920010111US1





Figure 4

FIG. 5A is a perspective view of a device 100 in a closed position. The device 100 includes a housing 110 and a lid 120. The housing 110 includes a front panel 112 and a side panel 114. The lid 120 includes a top panel 122 and a side panel 124. The device 100 is shown in a closed position with the lid 120 covering the front panel 112. The device 100 includes a latch 130 and a handle 140. The latch 130 is located on the front panel 112 and the handle 140 is located on the side panel 114. The device 100 is shown in a perspective view from the front and side.



4/19  
P04920010111481

Figure 5A



Pat 920010111451

6/19





Figure 5C

Pa 920010111551



8/19

POR 9200/0/11451




Figure 5 E






Figure 5F

 $6\frac{1}{6}$ 

Pa920010111451-3922

FIG. 5 is a perspective view of the device 100 in a closed position, showing the handle 120, the frame 130, the support 140, and the base 150.





Figure 5

Pat 920010111481

10/19



6/11

For 920010111151



12/19

Pan 920010111RS1




Figure 6




Figure 8

Pen 92001 0111451




Figure 7

14/19

Doc 920010111 US1




Figure 9

15/19

PON 920010111451




Figure 10





17/19  
 Pa920010111451




Figure 12A




Fig. 13A

18/19

Pat 920010111451

19/19

Pm 920010111450




Figure 13B